INDEX TO VOLUME 72, 1960

This index includes, in addition to names of genera, species, and authors, references to the following topics: anatomy, behavior, distribution, food habits, fossils, measurements, migration, molts and plumages, nesting, parasitism, physiology, populations, predation, taxonomy, voice, and weights. Also included are references of biological significance to mammals, reptiles, and amphibians.

Acanthis flammea, 115, 406
Accipiter bicolor, 187
  cooperii, 187
  gentilis, 164, 187
  striatus, 164
Acridotheres cristatellus, 196
Acrocephalus familiaris familiaris, 244
Actitis macularia, 190
Adamastor cinereus, 184
Aechmophorus occidentalis, 184, 394
Aëronautes saxatalis, 193
Aethia cristatella, 192
  pusilla, 192
Agelaius phoeniceus, 196, 198, 200, 402
Agriocharis ocellata, 189
Aix sponsa, 186, 238
Ajaia ajaja, 185
Alauda arvensis, 194
Albatross, Black-browed, 184
  Black-footed, 184
  Short-tailed, 184
  White-capped, 184
  Yellow-nosed, 184
Alca torda, 192, 407
Allin, A. E., review by, 206–207
Amazilia tzacatl, 194
Amphibians, 402
  Rana pipiens, 402
Amphispiza belli, 197
Anas, 152–153, 245
  acuta, 30, 139, 186
  carolinensis, 30, 186
  castanea, 149
  crecca, 139, 186
  cyanoptera, 246
  discors, 32, 186
  flavirostris, 139
  georgica, 139
  platyrhynchos, 30, 133, 186, 245, 247, 394
  p. laysanensis, 152, 244, 247
  p. wyvilliana, 152, 245
  rubripes, 133, 186
  smithi, 246
  strepera, 30, 139, 186
Anatomy, 60–104, 248–251
Anderson, Harry G., Food Habits of Migrating Ducks in Illinois, reviewed, 205–206
Anhinga, 185
Anhinga anhinga, 185
Ani, Groove-billed, 193
  Smooth-billed, 193
Anoüs stolidus, 192
Anser albifrons, 185
  a. domesticus, 186
  brachyrhynchus, 56
Anthus pratensis, 196
  spinoletta, 196
Antshrike, Barred, 194
Ant-Tanager, Red-crowned, 105–106
  Red-throated, 105
Antwren, Dot-winged, 106
Aphelocoma, 250
  coerulescens, 195, 250
Aptenodytes forsteri, 213
  patagonica, 213
Aquila chrysaëtos, 187
Ara chloroptera, 193
  macao, 193
  militaris, 193
Aracari, Collared, 194
Aramides cajanea, 189
Aramus guarauna, 189
Archilochus colubris, 193, 200
Ardea cinerea, 185
  herodias, 198, 289
Arenaria interpres, 190
  melanocephala, 190
Asio flammeus, 193
  otus, 164, 193
Atlapetes, Chestnut-capped, 196
Atlapetes brunnei-nucha, 196
Auklet, Cassin's, 192
  Crested, 192
  Least, 192
  Rhinoceros, 193
Aulacorhynchus prasinus, 194
Auriparus flaviceps, 195
Avocet, American, 191
Aythya affinis, 30, 186
  americana, 30, 186
  collaris, 30
  ferina, 186
  fuligula, 186
  marila, 186
  valisineria, 30, 186
Baldpate, 404
Bartramia longicauda, 190
Beals, Edward, Forest bird communities in the Apostle Islands of Wisconsin, 156–181
Behavior, 8–9, 13–14, 105–107, 115–155, 198–201, 213–221, 232–247, 341–357, 398–401, 403–405, 407–409
Bellrose, Frank C., Lead Poisoning as a

Mortality Factor in Waterfowl Populations, reviewed, 205
Bellrose, Frank C. and James G. Sieh, Massed waterfowl flights in the Mississippi Flyway, 1956 and 1957, 29–59
Bender, R. O., American Coot successfully escapes from a Bald Eagle, 404–405
Berger, Andrew J., Some anatomical characters of the Cuculidae and the Musophagidae, 60–104
Bigwood, Jean, see Bigwood, Kenneth and ———
Bigwood, Kenneth and Jean Bigwood, A Treasury of New Zealand Bird Song, reviewed, 421–422
Bittern, American, 185
Least, 185, 355
Blackbird, 195
Redwinged, 196, 198, 200, 402
Yellow-headed, 196
Bluebird, Eastern, 195
Bobolink, 196, 266–267
Bobwhite, 188, 201
Bombycilla cedrorum, 165, 196
garrula, 196
Bonasa umbellus, 188
Booby, Blue-faced, 185
Blue-footed, 185
Brown, 185
Red-footed, 185
Borgelt, Leo H., Common Grackles anting with mothballs, 408–409
Borror, Donald J. and William W. H. Gunn, Songs of Warblers of Eastern North America, reviewed, 111–112
Botaurus lentiginosus, 185
Brachyramphus marmoratum, 192
Brambling, 196
Brant, 185
Branta bernicla, 185
canadensis, 38, 185, 288, 385
c. interior, 385
leucopsis, 185
Breckenridge, W. J., review by, 297–298
Bubo virginianus, 193, 397
Bucephala albeola, 30, 186
islandica, 186
Bucorvus, 72
Bufflehead, 30, 186, 394
Bullfinch, 119, 124
Bunting, Indigo, 165, 170, 280
Snow, 197
Varied, 196
Burhinus bistriatus, 191
Bushtit, Common, 195
Buteo, 396
jamaicensis, 187, 200, 396
lagopus, 187
lineatus, 187, 201
platypterus, 187
swainsoni, 187
Cacomantis, 84, 94
Cairina moschata, 186
Calcarius lapponicus, 197
Calidris canutus, 191
Callipepla squamata, 188
Calypte anna, 193
costae, 193
Campylorhynchus brunneicapillum, 195
Canachites canadensis, 188
Canary, 124
Canvasback, 30, 38, 41–43, 186, 394
Capella gallinago, 190
Caprimulgus vociferus, 290
Caracara, 187
Guadalupe, 187
Caracara cheriway, 187
lutosus, 187
Cardinal, 196
Carduelis carduelis, 124, 197
Carpococcyx, 72–73, 75–78, 82, 84, 86, 90–92, 95, 98–100
radiceus, 60, 84–85
Carpodacus mexicanus, 196
purpureus, 165, 196
Carter, Charles E., Ground nest of Florida Red-shouldered Hawk, 201–202
Casmerodius albus, 185
Cassidix mexicanus, 196
Catbird, 195, 355
Catharacta skua, 191, 220
Cathartes atratus, 187
aura, 187, 395
Catoptrophorus semipalmatus, 190
Centrocercus urophasianus, 188
Centropus, 72–78, 83–84, 86, 90–92, 95, 98–100
ateralbus, 92
bengalensis, 60
sinensis, 84
superciliosus, 60, 92–93
Centurus hypopolius, 194
Cepphus columba, 192
grylle, 192, 407
Cerorhinca monocerata, 193
Certhia familiaris, 164, 195
Ceuthmochares, 73–78, 84, 91, 95, 98–100
aereus, 60
Chachalaca, 188
Black, 188
Dusky-headed, 188
Chaetura pelagica, 164, 193
rutila, 193
spinicauda, 193
vauxi, 193
Chaffinch, 123–124, 129–130
Chalcites basalis, 60
Charadrius hiaticula, 190
semipalmatus, 190
vociferus, 190
Chat, Yellow-breasted, 196
Chen caerulescens, 40
hyperborea, 38, 288
rossii, 288

Chickadee, Black-capped, 164, 166, 170, 195, 406
Carolina, 195
Chicken, Greater Prairie, 188
Chlidonias niger, 192
Chloris chloris, 124
Chondestes grammacus, 197
Chondrohierax uncinatus, 187
Chordeiles minor, 193
Chrysococcyx, 72–73, 75–78, 80, 84, 90, 94, 96, 98–100
basalis, 60
caprius, 60, 71
cupreus, 60, 71
klaas, 60
Ciccaba virgata, 193
Cinclus mexicanus, 195
Circus cyaneus, 187, 401
Clamator, 73, 75–78, 80, 82, 84, 90, 94, 96, 98–100
glandarius, 81
jacobinus, 60, 82
levaillantii, 82
Clangula hyemalis, 186
Clement, Roland C., review by, 207
Coccothraustes coccothraustes, 119
Coccyzus, 73, 75–78, 82, 84, 94, 98–100, 272
americanus, 60, 193
erythropthalmus, 60, 164, 193
Cochran, William W., see Graber, Richard R. and ————
Colaptes auratus, 194, 270, 272, 406
Colinus nigrogularis, 188
virginianus, 188, 201
Collins, Henry Hill, Jr., Complete Field Guide to American Wildlife, reviewed, 109–111 (subject of Letter to Editor, 294–296); Bent's Life Histories of North American Birds, reviewed, 293–294
Columba livia, 193
Columbigallina passerina, 193
Condor, 395
Contopus virens, 164, 194, 406
Conuropsis carolinensis, 274
Coot, American, 189, 396, 404–405
European, 189
Cormorant, 394
Brandt's, 185
Double-crested, 185, 406
Great, 185
Olivaceous, 185
Corvus, 250–251
brachyrhynchos, 164, 195, 248–251, 405, 407
b. brachyrhynchos, 249
b. paulus, 248
caurinus, 248–249, 397
corax, 164, 195, 248, 250, 407
c. principalis, 248, 251
c. sinuatus, 248, 251
cornix, 195
frugilegus, 195, 400
ossifragus, 248, 250, 405
Corythaeola, 81
cristata, 81
Corythaixoides concolor, 81
personata, 81
Coturnicops noveboracensis, 189
Coua, 63, 67–68, 72–73, 75–79, 84, 86, 90–91, 95, 98–100
caerulea, 60, 63–64, 66–68, 78–79, 84, 86
coquereli, 78
cristata, 60, 78–79
cursor, 78–79
gigas, 78–79
reynaudii, 60, 78–79
ruficeps, 60, 78–79, 84, 86–87, 90
serriana, 60, 78–79
verreauxi, 78
Cowbird, Brown-headed, 10, 14, 165, 173, 196
Cox, George W., A life history of the Mourning Warbler, 5–28
Crake, Corn, 189
Mexican, 189
Spotted, 189
Crane, 396
Florida Sandhill, 361
Greater Sandhill, 361
Sandhill, 74, 189, 358–384
Whooping, 74, 189
Crax rubra, 188
Creeper, Brown, 164, 172, 195
Crex crex, 189
Crinifer piscator, 81, 83
Crocethia alba, 191
Crossbill, Red, 123, 197
Crotophaga, 73–78, 82, 84, 86, 90–92, 95, 98–100
ani, 84, 193
sulcirostris, 60, 93, 193
Crow, Common, 158, 164, 170, 195, 248–252, 405, 407
Fish, 248, 405
Hooded, 195
Northwestern, 397
Crypturellus boucardi, 183
cinnamomeus, 183
soui, 183
Cuckoo, Black-billed, 164, 170, 193
Squirrel, 193
Yellow-billed, 193
Cuculus, 60, 71–73, 75–78, 80, 83–84, 86, 90, 94, 96, 98–100
canorus, 60, 71, 84
Curassow, 188
Curlew, Bristle-thighed, 190
Eskimo, 190
Eurasian, 190
Long-billed, 190
Cuthbert, Nicholas L., review by, 207–208
Cyanocitta, 250–251
cristata, 10, 164, 195, 400, 403, 409
stelleri, 250, 400

Cygnus olor, 185
Cypseloides fumigatus, 193
niger, 193
Cyrtonyx montezumae, 188
Daption capensis, 184
Dasylophus superciliosus, 91
Delacour, Jean, The Waterfowl of the World, reviewed, 411–413
Dendragapus obscurus, 188, 396
Dendrocopos nuttallii, 194
pubescens, 164, 194
villosus, 164, 194, 406
Dendrocygna arborea, 186
autumnalis, 186
bicolor, 186
viduata, 186
Dendroica auduboni, 407
caerulescens, 165
castanea, 258
coronata, 8
fusca, 8, 165
magnolia, 165, 258, 406
pensylvanica, 8, 165
petechia, 196, 235
pinus, 165
virens, 8, 165
Dendrortyx leucophrys, 189
macroura, 189
Dickcissel, 196, 270
Dilger, William C., Agonistic and social behavior of captive redpolls, 115–132
Diomedea albatrus, 184
cauta, 184
chlororhynchos, 184
melanophris, 184
nigripes, 184
Diplopterus, 95
Dipper, 195
Distribution, 6–7, 105, 163–179, 226, 229–230, 274–289, 392–397, 399, 401–402, 404–407
Dolichonyx oryzivorus, 196, 266, 272
Dotterel, 190
Dove, Ground, 193
Mourning, 193
Rock, 193
Dovekie, 192
Dowitcher, Long-billed, 191
Short-billed, 191
Dromococcyx, 61, 72–73, 75–78, 80, 90–91, 95–96, 98–100
pavoninus, 60
Dryocopus pileatus, 164, 194
Duck, 394
Black, 42–43, 133–155, 186, 404
Black-bellied Tree, 186
Fulvous Tree, 186
Hawaiian, 245
Muscovy, 186
Ring-necked, 30, 34, 41–43
Ruddy, 30, 42, 187
Tufted, 186
West Indian Tree, 186
White-faced Whistling, 186
Wood, 186, 238–243
Dumetella carolinensis, 195, 355
Dunlin, 191
Eagle, Bald, 164, 172, 187, 395, 404–405
Golden, 187
Gray Sea, 187
Ectopistes migratorius, 193, 274
Edwards, Ernest P., review by, 419–420
Egret, Common, 185
Little, 185
Egretta garzetta, 185
Eider, Common, 133, 186
King, 186
Elanus leucurus, 187
Emberiza, 129
Empidonax atriceps, 194
difficilis, 194
flaviventris, 164
minimus, 164
traillii, 164
Enderson, James Harris, A population study of the Sparrow Hawk in east-central Illinois, 222–231
Eremophila alpestris, 194
Ereunetes mauri, 191
pusillus, 191
Erolia alpina, 191
maritima, 191
melanotos, 191
minutilla, 191
Eudocimus albus, 185
ruber, 185
Eudromias morinellus, 190
Eudynamis, 74, 80, 84, 94, 98–100
Eudyptes crestatus, 214
Falco columbarius, 188
peregrinus, 187
rusticolus, 187
sparverius, 188, 222
tinnunculus, 188
Falcon, Peregrine, 187
Fieldfare, 195
Finch, House, 196
Purple, 165, 173, 196
Flamingo, American, 185
Flicker, Yellow-shafted, 164, 166, 169, 177, 194, 270, 406
Flycatcher, Ash-throated, 194
Costa Rican, 194
Great Crested, 164, 170
Least, 162, 164, 166, 172
Traill's, 164, 170
Vermilion, 194
Western, 194
Yellow-bellied, 164, 166, 170, 177
Food habits, 9, 20–21, 78, 115–116, 126–127, 129, 200, 217–220, 247, 289, 402, 406
Forpus cyanopygius, 193
Fossils, 394
Fratercula arctica, 193, 406
Fregata magnificens, 185
Frigate-bird, Magnificent, 185

Fringilla coelebs, 123
montifringilla, 196
Fulica americana, 189, 396, 404
atra, 189
Fuller, Margaret F., Courting dance of the Whip-poor-will, 290–291
Fulmar, 184
Fulmarus glacialis, 184
Gabrielson, Ira N., Wildlife Conservation, reviewed, 207
Gadwall, 30–32, 38, 42–43, 139, 186
Gallinula chloropus, 189
Gallinule, Common, 189
Purple, 189
Gallus domesticus, 189
Gannet, 185, 406–407
Gavia arctica, 184, 394
immer, 184, 394
stellata, 184, 394
Geococcyx, 73, 75–79, 84, 86, 90–91, 95, 98–100
californianus, 60, 355
Geothlypis trichas, 8, 165, 200
Godwit, Bar-tailed, 191
Black-tailed, 191
Hudsonian, 191
Marbled, 191
Golden, Jack S., see Graber, Richard R. and ———
Goldeneye, Barrow's, 186
Goldfinch, American, 120, 197, 406
European, 124, 197
Goodman, Jeanne Moore, *Aves incendiaria*, 400–401
Goose, 39, 394
Barnacle, 185
Blue, 40–41
Canada, 38, 40, 185, 288, 385–391
Domestic, 186
Pink-footed, 56
Ross, 288–289
Snow, 38, 40–41, 288
White-fronted, 185
Goshawk, 164, 172, 187
Graber, Richard R. and William W. Cochran, Evaluation of an aural record of nocturnal migration, 253–273
Graber, Richard R. and Jack S. Golden, Hawks and Owls: Population Trends from Illinois Christmas Counts, reviewed, 420–421
Grackle, Boat-tailed, 196
Common, 107, 196, 408–409
Grebe, 394
Eared, 184
Horned, 184
Pied-billed, 184
Sun, 190
Western, 184
Greenfinch, 124
Greenlet, Tawny-crowned, 105
Greider, Marie and Elizabeth Sidwell Wagner, Black Vulture extends breeding range northward, 291
Griscom, Ludlow, Birds of Martha's Vineyard with an Annotated Check List, reviewed, 204–205
Grosbeak, Evening, 196
Pine, 196, 406
Rose-breasted, 165, 172, 196
Grouse, 396
Blue, 188, 396
Ruffed, 188
Sage, 188
Sharp-tailed, 188
Spruce, 188
Grus americana, 74, 189
canadensis, 189, 358
c. canadensis, 358, 363, 375, 396
c. pratensis, 358, 362
c. tabida, 74, 358, 363
Guan, Crested, 188
Horned, 188
Guillemot, Black, 192, 407
Pigeon, 192
Guira, 73–78, 82, 84, 86, 90–91, 95, 98–100
guira, 60, 93
Gull, 39
Black-headed, 192
Bonaparte's, 192
Glaucous, 191
Glaucous-winged, 191
Great Black-backed, 192, 407
Heermann's, 192
Herring, 192, 406
Ivory, 192
Laughing, 192
Mew, 192
Ring-billed, 192
Ross', 192
Sabine's, 192
Gunn, William W. H., see Borror, Donald J. and ———
Gymnogyps californianus, 395
Gymnorhinus cyanocephala, 195
Gymnoschizorhis personata, 81
Gyrfalcon, 187
Habia gutturalis, 105
rubica, 105
Haematopus ostralegus, 190
palliatus, 190
Hailman, Jack P., Encounters between Barn Swallows and a Mockingbird, 106–107; A field study of the Mockingbird's wing-flashing behavior and its association with foraging, 346–357; Anting of a captive Slate-colored Junco, 398–399
Haliaeetus albicilla, 187
leucocephalus, 164, 187, 395, 405
Hamilton, William J. III and Merrill C. Hammond, Oriented overland spring migration of pinioned Canada Geese, 385–391
Hammond, Merrill C., see Hamilton, William J. III and ———
Harrison, Hal H., photograph by, facing 5

Hartshorne, Charles, review by, 421–422
Haugen, Arnold O., see Martin, Elwood M. and ———
Hawfinch, 119, 124
Hawk, 39
  Bicolored, 187
  Broad-winged, 187
  Cooper's, 187
  Marsh, 187, 401–402
  Pigeon, 188
  Red-shouldered, 187, 201–202
  Red-tailed, 187, 200
  Rough-legged, 187
  Sharp-shinned, 164, 172
  Small Forest, 187
  Sparrow, 188, 222–231
  Swainson's, 187
  White, 187
Heard, William R., A record of swimming in Bobwhites, 201
Heinroth, Katharina, see Heinroth, Oskar and ———
Heinroth, Oskar and Katharina Heinroth, The Birds, reviewed, 204
Heliornis fulica, 190
Helmitheros vermivorus, 105
Hen, 189
  Guinea, 189
Henicorhina leucosticta, 105
Heron, 394
  Black-crowned Night, 185
  Gray, 185
  Great Blue, 198, 289
  Louisiana, 355
Hesperiphona vespertina, 196
Heteroscelus brevipes, 190
  incanum, 190
Himantopus mexicanus, 191
Himatione sanguinea freethi, 244
Hirundo rustica, 106, 195, 407
Honeyeater, Laysan, 244
Houghton Mifflin Company, A Field Guide to Bird Songs, reviewed, 207–208
Houston, C. Stuart and Maurice G. Street, The Birds of the Saskatchewan River, Carlton to Cumberland, reviewed, 206–207
Hummingbird, Anna's, 193
  Costa's, 193
  Lesser Broad-tailed, 194
  Rieffer's, 194
  Ruby-throated, 177, 193, 200
  Rufous, 194
Hunter, D. K., see Selander, Robert K. and ———

Hydranassa tricolor, 355
Hydroprogne caspia, 192
Hylocichla, 267, 270
  fuscescens, 164, 195, 272, 406
  guttata, 164, 195, 258
  minima, 195, 258, 272
  mustelina, 117, 195
  ustulata, 164, 195, 258, 272
Hylophilus ochraceiceps, 105
Ibis, Glossy, 185
  Scarlet, 185
  White, 185
  Wood, 185
Icteria virens, 196
Icterus galbula, 165, 200
  pustulatus, 196
  spurius, 398
International Committee for Bird Preservation, VII Bulletin, reviewed, 422
Iridoprocne bicolor, 194
Ixobrychus exilis, 185, 355
Jacana, 190
Jacana spinosa, 190
Jacksnipe, European, 190
Jaeger, Long-tailed, 191
  Parasitic, 191
  Pomarine, 191
Jay, Blue, 10, 158, 164, 172, 195, 400, 403, 409
  Gray, 406
  Piñon, 195
  Scrub, 195
  Steller's, 400
  White-tipped Brown, 195
Jehl, Joseph R., Jr., Bell's Vireo in New Jersey, 404
Johnsgard, Paul A., A quantitative study of sexual behavior of Mallards and Black Ducks, 133–155
Johnson, J. C., Jr., and Charles A. Long, Common Grackle heavily infested with Mallophaga, 107
Johnston, David W. and Francis S. L. Williamson, Heart weights of North American crows and ravens, 248–252
Junco, Oregon, 197
  Slate-colored, 197, 398–399, 406
  White-winged, 197
Junco aikeni, 197
  hyemalis, 197, 398, 406
  oreganus, 197
Kestrel, 188
Kieran, John, A Natural History of New York City, reviewed, 298
Killdeer, 190
Kingbird, Arkansas, 403
  Cassin's, 194
  Eastern, 194
  Western, 194
Kingfisher, Belted, 194
Kinglet, Golden-crowned, 165, 170, 196, 406
Kite, Everglade, 187
  Hook-billed, 187
  White-tailed, 187
Kittiwake, Black-legged, 192, 406–407
Knot, 191
Lagopus lagopus, 188
  leucurus, 188
  mutus, 188
Lampromorpha caprius, 60, 71
  klaas, 60

Lanius excubitor, 196
ludovicianus, 106
Lapwing, 190
Larimer, Edward J., Winter Foods of the Bobwhite in Southern Illinois, reviewed, 420
Lark, Horned, 194
Larus argentatus, 192, 406
atricilla, 192
canus, 192
delawarensis, 192
glaucescens, 191
heermanni, 192
hyperboreus, 191
marinus, 192, 407
philadelphia, 192
ridibundus, 192
Laterallus albigularis, 189
Leopold, A. Starker, Wildlife in Mexico. The Game Birds and Mammals, reviewed, 413–415
Leucopternis albicollis, 187
Limnodromus griseus, 191
scolopaceus, 191
Limosa fedoa, 191
haemastica, 191
lapponica, 191
limosa, 191
Limpkin, 189
Lobipes lobatus, 191
Long, Charles A., see Johnson, J. C., Jr., and ———
Longspur, Lapland, 197
Longley, Wm. H., Comment on the flight distance of the Great Blue Heron, 289
Loon, 394
Arctic, 184
Common, 184
Red-throated, 184
Lophodytes cucullatus, 187
Lophortyx californicus, 188
gambelii, 188
Loxia curvirostra, 123, 197
Lunda cirrhata, 193
Lymnocryptes minimus, 190
Macaw, Green, 193
Red-and-Green, 193
Scarlet, 193
Macdonald, J. D., Instructions to Young Ornithologists: Bird Biology, reviewed, 298
McKinley, Daniel, The Carolina Parakeet in pioneer Missouri, 274–287
Magpie, Black-billed, 195
Malcomson, Richard O., Mallophaga from birds of North America, 182–197
Mallard, 30–34, 37–43, 133–155, 186, 245–247, 394, 404
Hawaiian, 152
Laysan, 152
Mammals
Citellus franklini, 9
C. tridecemlineatus, 9
Eutamias minimus, 9
Mus musculus, 222
Odocoileus virginianus, 157
Procyon lotor, 9
Sciurus hudsonicus, 9
Sylvilagus floridanus, 402
Tamias striatus, 9
Manacus candei, 194
Manakin, White-collared, 194
Manville, Richard H., Birds breeding at Cap des Rosiers, Québec, 406–407
Mareca americana, 43, 186
penelope, 186
Martin, Elwood M. and Arnold O. Haugen, Seasonal changes in Wood Duck roosting flight habits, 238–243
Martin, Gray-breasted, 195
Purple, 195
Mayr, Ernst and James C. Greenway, Jr. (editors), Check-list of Birds of the World, reviewed, 415–419
Meadowlark, Eastern, 196
Measurements, 15–16, 245, 249–250, 289, 404
Megaceryle alcyon, 194
Megadyptes antipodes, 214
Melanerpes erythrocephalus, 409
formicivorus, 194
Melanitta deglandi, 187
fusca, 186
perspicillata, 187
Melanotis hypoleucus, 355
Meleagris gallopavo, 189
Melospiza melodia, 165, 232
m. samuelis, 236
Merganser, Common, 187
Hooded, 187
Red-breasted, 187
Mergus merganser, 187
serrator, 187
Micrastur ruficollis, 187
Microrhopias quixensis, 105–106
Migration, 6–7, 29–59, 253–273, 358–391
Miller, Loye, Some Indian midden birds from the Puget Sound area, 392–397
Millerbird, Laysan, 244
Mimus gilvus, 341, 355
polyglottos, 106, 341, 346, 355
saturninus, 341, 355
Mniotilta varia, 8, 105, 165
Mockingbird, 106–107, 341–357
Blue, 355
Calandria, 341, 354
Graceful, 355
Molothrus ater, 10, 165, 196
Molts and plumages, 24, 245–247
Momotus mexicanus, 194
momota, 194
Morococcyx, 73, 75–79, 84, 86, 90–91, 95, 98–100
erythropygus, 60, 93
Morus bassanus, 185, 406
Motacilla alba, 196
flava, 196

Motmot, Blue-crowned, 194
Rufous-crowned, 194
Murre, Common, 192, 407
Murrelet, Ancient, 192
Marbled, 192
Musophaga, 78, 86
paulina, 83
violacea, 83
Mycteria americana, 185
Myiarchus cinerascens, 194
crinitus, 164
Myiobius sulphureipygius, 105
Myna, Crested, 196
Neomorphus, 95, 98–100
Nesting, 5–10, 14–24, 200–202, 214–218, 229–230, 288, 401–402
Nighthawk, Common, 193
Nothocercus bonapartei, 183
Nucifraga columbiana, 195
Numenius americanus, 190
arquata, 190
borealis, 190
phaeopus, 190
tahitiensis, 190
Numida meleagris, 189
Nutcracker, Clark's, 195
Nuthatch, Red-breasted, 164, 170
White-breasted, 164, 166, 170, 406
Nyctea scandiaca, 193
Nycticorax nycticorax, 185
Oceanodroma furcata, 184
leucorhoa, 184
macrodactyla, 184
Odontophorus erythrops, 189
gujanensis, 189
guttatus, 189
leucolaemus, 189
Oidemia nigra, 187
Oldsquaw, 186
Olor columbianus, 30, 185
cygnus, 185
Oncostoma cinereigulare, 105
Oporornis, 253
agilis, 165
philadelphia, 5, 165
Oreophasis derbianus, 188
Oreortyx pictus, 188
Oriole, Baltimore, 165, 173, 177, 200
Orchard, 398
Scarlet-headed, 196
Oropendola, Wagler, 196
Orr, Howard D. and Theodore W. Sudia, Flight distance in the Great Blue Heron, 198–199
Ortalis garrula, 188
vetula, 188
Osprey, 187, 396
Otus asio, 193, 341
Ovenbird, 8, 162, 165, 173–174, 234, 236, 258, 289–290
Owl, Barn, 193
Burrowing, 193
Great Gray, 193
Great Horned, 193, 397
Long-eared, 164, 172, 193
Screech, 193, 341–342
Short-eared, 193
Snowy, 193
Squamulated, 193
Oxyura jamaicensis, 30, 187
Oystercatcher, American, 190
European, 190
Pachycoccyx, 98, 100
Pagophila eburnea, 192
Pandion haliaetus, 187
Panyptila cayennensis, 288
sancti-hieronymi, 288
Parakeet, Carolina, 274–287
Parasitism, 10, 14, 107, 182–197
Parkes, Kenneth C., reviews by, 411–413, 415–419
Parrotlet, Mexican, 193
Partridge, Gray, 188
Highland, 189
Long-tailed, 189
Parula americana, 8, 165
Parus atricapillus, 164, 195, 406
carolinensis, 195
inornatus, 236
Passer domesticus, 196, 403
montanus, 196
Passerculus sandwichensis, 197
Passerella iliaca, 197
Passerina cyanea, 165, 280
versicolor, 196
Pavo cristatus, 189
Paynter, Raymond A., Jr., review by, 413–415
Peacock, 189
Pedioecetes phasianellus, 188
Pelecanus, 394
erythrorhynchos, 184
occidentalis, 184
Pelican, 394
Brown, 184
White, 184
Penelope purpurascens, 188
Penelopina nigra, 188
Penguin, Adélie, 213, 219–220
Emperor, 213
Gentoo, 213
King, 213
Rockhopper, 213–221
Yellow-eyed, 214, 219
Perdix perdix, 188
Perisoreus canadensis, 406
Peters, James L., Check-list of Birds of the World, reviewed, 415–419
Peterson, Russell Francis, Letter to Review Editor, 294–296
Petrel, Cape, 184
Fork-tailed, 184
Guadalupe, 184
Leach's, 184

Pettingill, Olin Sewall, Jr., Crèche behavior and individual recognition in a colony of Rockhopper Penguins, 213–221; reviews by, 109–112, 204–205, 298
Pewee, Eastern Wood, 164, 166, 172, 174, 194, 406
Phaenicophaeus, 73, 75–79, 84, 86, 91–92, 95, 98–100
pyrrhocephalus, 60, 91
superciliosus, 91
Phaëthon aethereus, 184
rubricauda, 184
Phainopepla, 196
Phainopepla nitens, 196
Phalacrocorax auritus, 185, 406
carbo, 185
olivaceus, 185
penicillatus, 185
Phalarope, Northern, 191
Red, 191
Wilson's, 191
Phalaropus fulicarius, 191
Phasianus colchicus, 188
Pheasant, Ring-necked, 188
Pheucticus ludovicianus, 165, 196
Philohela minor, 190
Philomachus pugnax, 191
Phoebe, Say's, 194
Phoenicopterus ruber, 185
Physiology, 129
Piaya, 73, 75–78, 82, 84, 90, 94, 93–100
cayana, 60, 93, 193
Pica pica, 195
Picoïdes arcticus, 164, 194
tridactylus, 194
Pigeon, Passenger, 193, 274
Pinicola enucleator, 196, 406
Pintail, 30, 32, 37–38, 42–43, 139, 186, 404
Pipilo erythrophthalmus, 165, 197
fuscus, 197
Pipit, Meadow, 196
Water, 196
Piranga bidentata, 196
olivacea, 165
Platalea leucorodia, 185
Platycercus, 72
Plautus alle, 192
Plectrophenax nivalis, 197
Plegadis falcinellus, 185
Plover, American Golden, 190
Black-bellied, 190
Ringed, 190
Semipalmated, 190
Upland, 190
Pluvialis dominica, 190
Pochard, Common, 186
Podiceps auritus, 184
caspicus, 184, 394
grisegena, 394
Podilymbus podiceps, 184
Populations, 31–34, 37–43, 47, 156–181, 222–231
Porphyrula martinica, 189
Porzana porzana, 189
Porzanula palmeri, 244
Predation, 9–10, 220, 402, 404–405
Progne chalybea, 195
subis, 195
Protonotaria citrea, 196
Psaltriparus minimus, 195
Psilorhinus mexicanus, 195
Ptarmigan, Rock, 188
White-tailed, 188
Willow, 188
Pteroglossus torquatus, 194
Ptychoramphus aleutica, 192
Puffin, Common, 193, 406
Tufted, 193
Puffinus creatopus, 184
diomedea, 184
gravis, 184
griseus, 184
lherminieri, 184
pacificus, 184
puffinus, 184
Pygoscelis adeliae, 213
papua, 213
Pyrocephalus rubinus, 194
Pyrrhocentor, 86
Pyrrhula pyrrhula, 119
Quail, Black-throated, 188
California, 188
Gambel's, 188
Harlequin, 188
Mountain, 188
Scaled, 188
Quay, T. L., reviews by, 205–206
Quiscalus quiscula, 107, 196, 408
Rail, Clapper, 189
Laysan Island, 244
Virginia, 189
Water, 189
Wood, 189
Yellow, 189
Rallus aquaticus, 189
limicola, 189
longirostris, 189
Ramphastos sulfuratus, 194
Ramphocaenus rufiventris, 105
Raven, Common, 158, 164, 172, 195, 248, 407
Razorbill, 192, 407
Recurvirostra americana, 191
Redhead, 30, 32, 38, 186
Redpoll, Common, 115–132, 406
Redstart, American, 8, 162, 165, 167, 170, 258, 406
Red-wing, 195
Regulus satrapa, 165, 196, 406
Reptiles, 402
Thamnophis radix, 402
Rhamphococcyx, 92
Rhodostethia rosea, 192
Richmondena cardinalis, 196
Riparia riparia, 195, 404

Ripley, S. Dillon, Laysan Teal in captivity, 244–247
Rissa tridactyla, 192, 406
Roadrunner, 355
Robin, 164, 172, 195, 236, 348, 406, 409
Clay-colored, 195
Robinson, Thane S., reviews by, 420–421
Rook, 195, 400
Root, Oscar M., review by, 298
Rostrhamus sociabilis, 187
Ruff, 191
Sanderling, 191
Sandpiper, Least, 191
Pectoral, 191
Purple, 191
Semipalmated, 191
Solitary, 190
Spotted, 190
Western, 191
Wood, 190
Sapsucker, Yellow-bellied, 164, 166, 170, 177, 194, 399
Sarcoramphus papa, 187
Saurothera, 73, 75–78, 82, 84, 91, 94, 98–100
merlini, 60
Sayornis saya, 194
Scaup, 394
Greater, 186
Lesser, 30, 32, 37–38, 41–43, 186
Scolopax rusticola, 190
Scoter, 394
Common, 187
Surf, 187
Velvet, 186
White-winged, 187
Scythrops, 80, 84, 90, 94, 98–100
Seiurus aurocapillus, 8, 165, 235, 258, 289
Selander, Robert K. and D. K. Hunter, On the functions of wing-flashing in Mockingbirds, 341–345
Selasphorus flammula, 194
rufus, 194
Serinus canarius, 124
Setophaga ruticilla, 8, 165, 258, 406
Shearwater, Audubon's, 184
Black-tailed, 184
Cory's, 184
Greater, 184
Manx, 184
Pink-footed, 184
Sooty, 184
Wedge-tailed, 184
Sheld-Duck, 186
Shoveler, 30, 42–43, 186
Cape, 246
Shrike, Loggerhead, 106
Northern, 196
Sialia sialis, 195
Sieh, James G., see Bellrose, Frank C. and ———
Siskin, Pine, 120, 406
Sitta canadensis, 164
carolinensis, 164, 406
Sittasomus griseicapillus, 105
Skua, 191, 220–221
Skutch, Alexander F., Life Histories of Central American Birds, reviewed, 419–420
Skylark, 194
Smart, Glen, Ross Goose taken at Horseshoe Lake, Illinois, 288–289
Snipe, Common, 190
Somateria mollissima, 133, 186
spectabilis, 186
Sparrow, Chipping, 165, 174
European Tree, 196
Field, 197
Fox, 197
Golden-crowned, 197
House, 196, 403
Lark, 197
Sage, 197
Savannah, 197
Song, 165, 167, 169, 197, 232–237
Tree, 129, 197
White-crowned, 197
White-throated, 162–163, 165, 167, 169, 251, 406
Spatula clypeata, 30, 186
Speotyto cunicularia, 193
Sphyrapicus varius, 164, 194, 399
Spinus pinus, 120, 406
tristis, 120, 197, 406
Spiza americana, 196, 270, 272
Spizella arborea, 129, 197
passerina, 165
pusilla, 197
Spoonbill, Roseate, 185
White, 185
Squatarola squatarola, 190
Starling, 196, 353, 355, 409
Steganopus tricolor, 191
Stelgidopteryx ruficollis, 195
Stercorarius longicaudus, 191
parasiticus, 191
pomarinus, 191
Sterna anaethetus, 192
dougallii, 192
forsteri, 192
fuscata, 192
hirundo, 192, 407
paradisaea, 192
Stilt, Black-necked, 191
Street, Maurice G., see Houston, C. Stuart and ———
Street, Phillips B., review by, 293–294
Strix nebulosa, 193
Strong, Reuben Myron, A Bibliography of Birds, reviewed, 112
Strosnider, Ruth, Polygyny and other notes on the Redwinged Blackbird, 200
Sturnus vulgaris, 196, 353, 355, 409
Sturnella magna, 196
Sudia, Theodore W., see Orr, Howard D. and ———

Sula dactylatra, 185
leucogaster, 185
nebouxii, 185
sula, 185
Surniculus, 73, 75–78, 80, 84, 90, 94, 96, 98–100
lugubris, 60, 90
Suthers, Roderick A., Measurement of some lake-shore territories of the Song Sparrow, 232–237
Swallow, Bank, 195, 404
Barn, 106–107, 195, 407
Tree, 194
Rough-winged, 195
Swan, Mute, 185
Whistling, 30, 185
Whooper, 185
Sweny, Fredric, The Techniques of Drawing and Painting Wildlife, reviewed, 297–298
Swift, Black, 193
Chestnut-collared, 193
Chimney, 158, 164, 170, 174, 193
Great Swallow-tailed, 288
Lesser Swallow-tailed, 288
Smoky, 193
Spiny-tailed, 193
Vaux's, 193
White-throated, 193
Swinebroad, Jeff, Additional notes on the singing height of Ovenbirds, 289–290
Synthliboramphus antiquum, 192
Tadorna tadorna, 186
Tanager, Scarlet, 165, 170
Swainson, 196
Tapera, 73, 75–78, 80, 84, 86, 90, 92, 95–96, 98–100
naevia, 60, 88–89
Tattler, Polynesian, 190
Wandering, 190
Tauraco, 72–73, 75–77, 83, 91, 100
corythaix, 63, 71, 81
c. persa, 81
erythrolophus, 83
leucotis, 63, 72–73, 101
l. donaldsoni, 60–61, 65, 81, 83, 91
macrorhynchus, 81
persa buffoni, 81
Taxonomy, 60–106, 248–251
Teal, Blue-winged, 32, 186
Cinnamon, 246
Common, 186
Green-winged, 30, 32, 42–43, 139, 186, 404
Laysan, 244–247
Tern, Arctic, 192
Black, 192
Bridled, 192
Caspian, 192
Common, 192, 407
Forster's, 192
Noddy, 192
Roseate, 192
Royal, 192
Sandwich, 192
Sooty, 192
Thalasseus maximus, 192
sandvicensis, 192
Thamnophilus doliatus, 194
Thick-knee, Mexican, 191
Thrasher, Brown, 355, 403
Thrush, Gray-cheeked, 195, 258, 267
Hermit, 164, 166, 173, 195, 258
Swainson's, 164, 166, 173–174, 179, 195, 258, 267
Wood, 117, 195
Thryomanes bewickii, 195
Thryothorus maculipectus, 105
Tinamou, Bonaparte's, 183
Great, 183
Little, 183
Rufescent, 183
Slaty-breasted, 183
Tinamus major, 183
Titmouse, Plain, 236
Tityra, Masked, 194
Tityra semifasciata, 194
Totanus flavipes, 191
melanoleucus, 191
Toucan, Keel-billed, 194
Toucanet, Emerald, 194
Towhee, Brown, 197
Rufous-sided, 165, 170, 197
Toxostoma rufum, 355, 403
Tringa glareola, 190
solitaria, 190
Troglodytes aedon, 164
troglodytes, 195
Trogon, Coppery-tailed, 194
Large-tailed, 194
Violaceous, 194
Trogon elegans, 194
melanurus, 194
violaceus, 194
Tropic-bird, Red-billed, 184
Red-tailed, 184
Turacus donaldsoni, 60
Turdus grayi, 195
merula, 195
migratorius, 164, 195, 236, 348, 406, 409
musicus, 195
pilaris, 195
Turkey, 189
Ocellated, 189
Turnstone, Black, 190
Ruddy, 190
Tympanuchus cupido, 188
Tyrannus tyrannus, 194
verticalis, 194, 403
vociferans, 194
Tyto alba, 193
Uria aalge, 192, 407
Vanellus vanellus, 190
Veery, 164, 166, 169, 177, 195, 258, 406
Vermivora celata, 196
chrysoptera, 8

peregrina, 165, 258
pinus, 196
ruficapilla, 8, 165
Verdin, 195
Vireo, Bell's, 404
Red-eyed, 10, 162, 165–166, 173
Solitary, 162, 165–166, 170, 174, 406
Warbling, 165, 172
Vireo bellii, 404
b. bellii, 404
gilvus, 165
olivaceus, 10, 165
solitarius, 165, 406
Voice, 9–14, 17–18, 24, 105, 120, 126, 245, 270, 290, 341
Vulture, Black, 187, 291
King, 187
Turkey, 187, 395
Wagner, Elizabeth Sidwell, see Greider, Marie and ———
Wagtail, White, 196
Yellow, 196
Walkinshaw, Lawrence H., Migration of the Sandhill Crane east of the Mississippi River, 358–384; review by, 422–424
Warbler, Audubon's, 407
Bay-breasted, 258
Black-and-white, 8, 165, 167, 173
Blackburnian, 8, 165, 167, 171
Black-throated Blue, 165, 167, 171
Black-throated Green, 8, 162–163, 165, 167, 170–172
Blue-winged, 196
Canada, 165, 167, 171
Chestnut-sided, 8, 165, 171
Connecticut, 165, 170
Golden-winged, 8
Magnolia, 165, 172, 174, 258, 406
Mourning, 5–28, 165, 167, 169
Myrtle, 8
Nashville, 8, 165, 167, 173
Orange-crowned, 196
Parula, 8, 165, 167, 170
Pine, 165, 173
Prothonotary, 196
Tennessee, 165, 172, 258
Yellow, 196, 235
Warner, Dwain W., review by, 204
Waxwing, Bohemian, 196
Cedar, 158, 165, 172, 196
Weights, 16, 248–252
Whimbrel, 190
Whip-poor-will, 290–291
Whitaker, Lovie M., Nests of Lesser Swallow-tailed Swift in Mexico, 288; Behavior of birds on warm surfaces, 403–404
Wible, Mary, Notes on feeding and fecal-sac disposal of sapsuckers, 399; A fatal and near-fatal strangling accident of small birds, 407
Widgeon, American, 42–43, 186
European, 186
Wilhelm, Eugene J., Jr., Marsh Hawk breeding in northwestern Arkansas, 401–402; The Fish Crow in easternmost Oklahoma, 405
Willet, 190
Williams, Gordon R., Thirty New Zealand Birds, reviewed, 421–422
Williamson, Francis S. L., see Johnston, David W. and ———
Willis, Edwin, Red-crowned Ant-Tanagers, Tawny-crowned Greenlets, and forest flocks, 105–106
Wilsonia canadensis, 165
Wilson Ornithological Society, 308
Josselyn Van Tyne Memorial Library, 108, 292
Membership, 28, 104, 132, 231, (list) 309–338, 345, 409
Ornithological News, 108, 203, 292, 410
Proceedings of the Annual Meeting, 299–307
Woodcock, American, 190
European, 190
Woodpecker, Acorn, 194
Black-backed Three-toed, 164, 172, 194
Downy, 164, 170, 194
Gray-breasted, 194
Hairy, 162, 164, 172, 194, 406
Northern Three-toed, 194
Nuttall's, 194
Pileated, 164, 170, 194
Red-headed, 409
Wood-quail, Black-eared, 189
Marbled, 189
Spotted, 189
White-throated, 189
Wren, Bewick's, 195
Cactus, 195
House, 164, 169
Winter, 195
Xanthocephalus xanthocephalus, 196
Xema sabini, 192
Xenops minutus, 105
Xiphorhynchus flavigaster, 105
Yellowlegs, Greater, 191
Lesser, 191
Yellowthroat, 8–9, 165, 169, 200
Zarhynchus wagleri, 196
Zenaidura macroura, 193
Zonotrichia albicollis, 165, 251, 406
atricapilla, 197
leucophrys, 197

This issue of *The Wilson Bulletin* was published on December 14, 1960.